

JOHNSTON COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

205 South Second Street
 Smithfield, North Carolina 27577
 Telephone (919) 989-5180
IMPROVEMENT PERMIT


Application No.: 53279
 Tax Map No.: _____
 Date: 20 Dec 99

Name: Scott Lee Homes
 Address: _____
 Location: SR 1700
 Facility: Creekside SFD (60x40) S/D Lot No.: 108
 LTAR: .4-.3
 Bedrooms: 3 Design Daily Sewage Flow: 360 Lot area: ±1.0AC
 New Construction: yes Repair: N/A Water Supply: private
 Soil/Site Classification: RS
 Septic Tank Size: 900+ Grease Trap Size: N/A
 Pump Tank Size: N/A Pump(s) Size: N/A
 Drainfield Type: Comw Square Feet: 990
 No. Lines: 3 Width: 3 Length: 3-110 Depth: 18-20"
 Design/Layout by: TWA Permit Issued By: MJS
 Inspection: Lines: _____ Septic Tank/Box: _____
 Pump Tank: _____ Pump(s)/Pressure: _____
 Drainage: _____ Contractor: _____

AUTHORIZATION FOR WASTEWATER SYSTEM CONSTRUCTION

ISSUED BY: [Signature] DATE ISSUED: 12-20-99
 By rule this septic system requires the use of an effluent filter and a waterproof seal. A riser and septic marker may also be required.

TO ASSURE PROPER OPERATION
 MAINTENANCE IS REQUIRED



Creekside
 Lot 108 Scale 260

OPERATION PERMIT BY: _____ DATE: _____
 Systems shall be installed as shown in sketch or as on attached plans and specifications. Any unauthorized site disturbance, filling, soil removal, or layout changes may result in this permit being revoked. This authorization for wastewater system to construct is good for 5 years from date of issue.